

HITECT:

[illegible]

ARCHITECTURAL SYMBOLS

	CENTER LINE
	ELEVATION INDICATOR
	CENTER LINE INDICATOR
	CONTRACT LIMIT LINE
	DEMOLITION LINE
	EXISTING TO REMAIN LINE
	FEATURES ABOVE LINE INDICATOR
	FIRE RESISTIVE RATED LINE, 1 HOUR
	FIRE RESISTIVE RATED LINE, 2 HOUR
	FIRE RESISTIVE RATED LINE, 3 HOUR
	FIRE RESISTIVE RATED LINE, 4 HOUR
	FIRE-RATED, SMOKE BARRIER LINE, 1 HOUR
	FIRE-RATED, SMOKE BARRIER LINE, 2 HOUR
	FIRE-RATED, SMOKE BARRIER LINE, 3 HOUR
	FIRE-RATED, SMOKE BARRIER LINE, 4 HOUR
	HIDDEN FEATURES LINE
	NEW LINE
	PROPERTY LINE
	SMOKE BARRIER LINE
	BREAK, ROUND (USER DEFINES SIZE)
	BREAK, STRAIGHT (SEE SECTION INDICATORS, BUILDING, WITH BREAK STANDARDS)
	DETAIL INDICATOR
	DETAIL INDICATOR / ENLARGED PLAN
	DETAIL INDICATOR FOR SMALL CONDITIONS
	DIMENSION LINE
	DOOR OPENING/BORROWED LIGHT IDENTIFIER
	DRAWING BLOCK TITLE, TYPICAL
	ELEVATION INDICATOR, EXTERIOR
	ELEVATION INDICATOR, INTERIOR, MULTIPLE VIEW
	ELEVATION INDICATOR, INTERIOR, SINGLE VIEW
	BUILDING SECTION INDICATOR

MATERIALS LEGEND

	CONCRETE		EXISTING CONSTRUCTION TO REMAIN		RIGID INSULATION
	EARTH		EXISTING CONSTRUCTION TO BE REMOVED		BATT INSULATION
	BASE COURSE		NEW CONSTRUCTION		

DETAIL NUMBER SHEET WHERE REF. SHEET WHERE DRAWN	DETAIL INDICATOR
	FURNITURE, FIXTURE, & EQUIPMENT INDICATOR
	GRAPHIC SCALE, 1/8"=1'-0"
	ROOM NAME AND NUMBER
	COLUMN GRID
	KEYNOTE
	WALL OR PARTITION TYPE
	FIRE EXTINGUISHER CABINET
	CORNER GUARD
	NORTH ARROW
	V V ITEM - VA SUPPLIED & INSTALLED
	VC ITEM - VA SUPPLIED & CONTRACTOR INSTALLED
	CC ITEM - CONTRACTOR SUPPLIED & INSTALLED

	EXISTING DOOR & FRAME TO BE REMOVED
	EXISTING WALL / PARTITION TO BE DEMOLISHED
	NEW DOOR & FRAME
	NEW WALL / PARTITION / INFILL
	EXISTING DOOR & FRAME TO REMAIN
	EXISTING WALL TO REMAIN

DEMOLITION NOTES

- CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND COORDINATE ALL DEMOLITION ACTIVITIES WITH ANY NEW CONSTRUCTION AS INDICATED WITHIN THE CONSTRUCTION DOCUMENTS. DO NOT SCALE DRAWINGS.
- CONTRACTOR TO COORDINATE DEMOLITION WORK WITH PHASING PLAN BEFORE ANY DEMOLITION IS TO TAKE PLACE.
- CONTRACTOR SHALL PERFORM ALL NECESSARY DEMOLITION ACTIVITIES AS REQUIRED FOR INSTALLATION OF NEW CONSTRUCTION AS INDICATED WITHIN THE CONSTRUCTION DOCUMENTS. COORDINATE WITH THOSE DOCUMENTS FOR EXACT DIMENSIONS AND LOCATIONS OF FINISHED WORK.
- ALL DEMOLITION NOT SPECIFICALLY INDICATED, BUT NECESSARY TO COMPLETE THE PROJECT AS INDICATED ON THE CONSTRUCTION DOCUMENTS, SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- THE CONTRACTOR SHALL INSPECT AND ACCESS EACH SPACE AND FULFILL THE INTENT OF THE WORK REQUIRED BY THE CONTRACT DOCUMENTS. DEVIATIONS REQUIRED BY EXISTING FIELD CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.
- ANY CUTTING AND REMOVAL INDICATED ON THE CONSTRUCTION DOCUMENTS ARE GENERAL INDICATIONS ONLY AND MAY NOT NECESSARILY SHOW THE FULL EXTENT OF CUTTING AND REMOVAL NECESSARY.
- CONTRACTOR SHALL CONSTRUCT DUST PROOF PROTECTIVE BARRIERS AS NECESSARY AT AREAS OF INTERIOR DEMOLITION TO PROTECT EXISTING CONSTRUCTION AND EQUIPMENT SCHEDULED TO REMAIN.
- PERFORM ALL WORK REQUIRED TO PROTECT THE BUILDING OCCUPANTS AND EXISTING BUILDING UTILITIES. THE BUILDING WILL REMAIN IN OPERATION THROUGHOUT THE COURSE OF DEMOLITION AND CONSTRUCTION ACTIVITIES.
- THE CONTRACTOR SHALL BE RESPONSIBLE TO PROVIDE ALL NECESSARY TEMPORARY BRACING AND SHORING AS REQUIRED TO MAINTAIN THE INTEGRITY AND STRUCTURAL STABILITY OF THE BUILDING AND ITS INDIVIDUAL ELEMENTS.
- EXCEPT AS NOTED OTHERWISE, REMOVE ALL DEMOLISHED MATERIALS FROM THE SITE AND DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. DO NOT BURN, BURY OR SELL MATERIALS ON THE PROJECT SITE. AT THE COMPLETION OF EACH WORK DAY, CLEAN THE ENTIRE WORK AREA AND LEAVE IN A NEAT CONDITION FREE OF DEBRIS AND RUBBISH.
- THROUGHOUT THE COURSE OF DEMOLITION ACTIVITIES, PROPERLY PROTECT ANY EXISTING CONSTRUCTION INDICATED TO REMAIN. EXERCISE CARE WHEN REMOVING ADJACENT CONSTRUCTION AND PROPERLY REPAIR (TO ORIGINAL CONDITION) ANY AREAS SCHEDULED TO REMAIN THAT SUSTAINED DAMAGE AS A RESULT OF DEMOLITION ACTIVITIES.
- CAREFULLY REMOVE AND DELIVER TO THE OWNER ANY EXISTING FIE EXTINGUISHERS FOUND WITHIN THE LIMIT OF DEMOLITION ACTIVITIES.
- THE OWNER RESERVES THE RIGHT TO REMOVE ANY ITEMS SCHEDULED FOR DEMOLITION PRIOR TO THE START OF DEMOLITION ACTIVITIES AND CLAIM ANY ITEMS REMOVED BY THE CONTRACTOR THROUGHOUT THE COURSE OF DEMOLITION.
- STRUCTURAL, MECHANICAL, PLUMBING, ELECTRICAL AND CIVIL DOCUMENTS PROVIDE ADDITIONAL DEMOLITION REQUIREMENTS. CONTRACTOR IS RESPONSIBLE FOR FAMILIARIZING THEMSELVES WITH THOSE DOCUMENTS THAT MAY PROVIDE ADDITIONAL DEMOLITION REQUIREMENTS BEYOND THOSE SPECIFICALLY INDICATED ON THE ARCHITECTURAL DEMOLITION PLANS.
- THROUGHOUT THE COURSE OF DEMOLITION ACTIVITIES, THE CONTRACTOR SHALL PATCH, REPAIR AND PREPARE EXISTING EXPOSED SURFACES AND/OR ADJACENT MATERIAL, AS REQUIRED TO RECIEVE NEW FINISHES.

GENERAL NOTES

- ALL CONSTRUCTION WORK SHALL CONFORM WITH THE APPLICABLE CODES AND ORDINANCES OF THE LOCAL JURISDICTION. STATE AND THE CURRENT ADOPTED VERSION OF THE INTERNATIONAL BUILDING CODE FAMILY. THE CONTRACTOR SHALL POST NOTICES AND COMPLY WITH THE GOVERNING LAWS OF THE JURISDICTION.
- INSTALLATIONS PERFORMED IN CONNECTION WITH THESE DRAWINGS SHALL BE IN STRICT COMPLIANCE TO THE MOST RECENT NFPA EDITION.
- THE CONTRACTOR SHALL AT ALL TIMES MAINTAIN ADEQUATE PROTECTION TO SAFEGUARD THE PUBLIC AND ALL PERSONS ENGAGED IN THE PERFORMANCE OF THE WORK.
- THE DRAWINGS REFLECT CONDITIONS AS CAN BE INFERRED FROM VISIBLE CONDITIONS, OR FROM DRAWINGS AND INFORMATION FURNISHED BY THE OWNER, BUT CANNOT GUARANTEED. THE CONTRACTOR SHALL VERIFY ALL GRADES, LINES, LEVELS AND DIMENSIONS INDICATED ON THE DRAWINGS AND SHALL REPORT ALL INCONSISTENCIES TO THE ARCHITECT PRIOR TO THE EXECUTION OF THE WORK. RECHECK ALL DIMENSIONS PRIOR TO ORDERING MANUFACTURED AND/OR FABRICATED ITEMS.
- THE CONTRACTOR SHALL ASSUME FULL RESPONSIBILITY FOR PROTECTION AND SAFEKEEPING OF PRODUCTS PURCHASED FOR THIS PROJECT AND STORED ON THE PROJECT SITE. THE CONTRACTOR SHALL COORDINATE WITH THE OWNER ON PREFERRED LOCATIONS FOR STORED MATERIALS ON THE PROJECT SITE, IF ALLOWED AS PART OF THE REQUIREMENTS OF THIS PROJECT.
- THE CONTRACTOR SHALL MAINTAIN AREAS UNDER THE CONTRACTOR'S CONTROL TO BE FREE OF WASTE MATERIALS, DEBRIS AND RUBBISH. CONTAINERS FOR DEPOSIT OF DEBRIS AND RUBBISH SHALL BE PROVIDED BY THE CONTRACTOR. COORDINATE LOCATION OF CONTAINERS WITH THE OWNER'S REPRESENTATIVE PRIOR TO PLACEMENT. REMOVE AND DISPOSE OF DEMOLITION MATERIAL OFF SITE IN ACCORDANCE WITH APPLICABLE CODES AND/OR SPECIFICATIONS.
- INDIVIDUAL CONTRACTOR'S SHALL BE RESPONSIBLE FOR PROVIDING AND INSTALLING ALL FIRESAFING/FIRESTOPPING MATERIALS AT ALL THROUGH-WALL AND THROUGH-CEILING PENETRATIONS AS REQUIRED FOR CONSTRUCTION WORK OF THEIR INDIVIDUAL CONTRACT AND TO MAINTAIN FIRE RATINGS OF FLOORS AND WALLS. MATERIALS AND INSTALLATION DETAILS SHALL CONFORM TO UNDERWRITER LABORATORIES LISTING FOR RATED ASSEMBLIES.
- DURING CONSTRUCTION THE CONTRACTOR WILL WORK ABOVE PATIENT OCCUPIED FLOORS, CONSTRUCTION RELATED ACTIVITIES ARE NOT TO ADVERSELY IMPACT THESE AREAS. CONSTRUCTION RELATED ACTIVITIES THAT MIGHT AFFECT THIS AREAS MUST BE COORDINATED WITH AND APPROVED BY THE VA PRIOR TO OCCURRENCE.
- CONTRACTOR SHALL PROVIDE TEMPORARY DUST ENCLOSURES DURING ALL DEMOLITION AND CONSTRUCTION ACTIVITIES. CONTRACTOR TO COORDINATE LOCATIONS WITH CONTRACTING OFFICER. IF EXISTING WALLS ARE USED. PENETRATIONS MUST BE SEALED TO CREATE A DUST PROOF ENCLOSURE.
- MODIFICATIONS TO THE EXISTING MEP SYSTEM WILL IMPACT ADJACENT SPACES OUTSIDE THE GENERAL SCOPE OF WORK. ANY DISTURBANCE OF EXISTING CONDITIONS AND FINISHES MUST BE REPAIRED TO MATCH THE CONDITIONS PRIOR TO CONSTRUCTION IMPACTS.
- THE FACILITY IS OPERATIONAL. CONTRACTOR SHALL MAKE PROVISIONS FOR OWNER AND PUBLIC USE OF THE BUILDING AROUND THE CONSTRUCTION AREA. DELIVERIES STAGING, STORAGE OF MATERIALS AND OTHER CONSTRUCTION RELATED ACTIVITIES SHALL BE COORDINATED WITH THE CONTRACTING OFFICER SO AS TO NOT ADVERSELY AFFECT THE BUILDING OPERATIONS.
- ASBESTOS CONTAINING MATERIALS (ACM) ARE ANTICIPATED TO EXIST IN THE WORK AREA. CONTRACTOR AT THEIR OWN EXPENSE SHALL BE RESPONSIBLE FOR ALL SURVEYS, TESTING, AND ABATEMENT.
- CONTRACTOR SHALL, AT THEIR OWN COST AND EXPENSE, COMPLY WITH ALL LAWS, ORDINANCES, RULES, AND REGULATIONS OF FEDERAL, STATE, REGIONAL, AND LOCAL AUTHORITIES, REGARDING WORK AREA PREPARATION, REMOVAL, HANDLING, AND DISPOSAL OF ASBESTOS CONTAINING MATERIAL.
- THE CONTRACTOR IS RESPONSIBLE FOR COMPARING AND COORDINATING ALL DRAWINGS FOR PROPER FIT AND ATTACHMENT OF ALL PARTS. DETAILS NOT SHOWN OR CALLED DESCRIBED IN THESE NOTES SHALL BE CONSTRUCTED TO SAME SIZE AND CHARACTER AS FOR SIMILAR CONDITIONS WHICH ARE SHOWN, SPECIFIED OR COMMONLY CONSTRUCTED IN THE INDUSTRY.
- ALL REVISIONS TO THE DRAWINGS MUST PROCEED THROUGH THE ARCHITECT. OWNER/CONTRACTOR REVISIONS MAY BE CONSIDERED IN VALID.
- NO STRUCTURAL MEMBER SHALL BE OMITTED, NOTCHED, CUT, BLOCKED OUT OR RELOCATED WITHOUT PRIOR APPROVAL BY THE ARCHITECT OR ENGINEER.
- CONTRACTOR SHALL COORDINATE LOCATIONS OF LIGHT FIXTURES, SPRINKLER HEADS, REGISTERS, ETC. WITH THE ELECTRICAL, HVAC, PLUMBING AND SPRINKLER SUB-CONTRACTORS.
- ALL SPRINKLER HEADS, DIFFUSERS AND REGISTERS SHALL BE CENTERED WITH SUSPENDED ACOUSTICAL PANELS, UNLESS NOTED OTHERWISE ON DRAWINGS.
- PROTECTIVE MEASURES SHALL BE TAKEN BY THE CONTRACTOR TO PROTECT ADJACENT PROPERTY AT ALL TIMES DURING CONSTRUCTION.
- ALL TEMPORARY BRACING AND SHORING SHALL BE DESIGNED TO SUSTAIN ALL CONSTRUCTION LOADS, LATERAL AND OTHER LOADS TO WHICH THE STRUCTURE MAY BE SUBJECTED.
- CONTRACTOR SHALL FILL ALL VOIDS IN MASONRY AND CONCRETE CREATED AROUND ALL PENETRATIONS WITH CONSTRUCTION TO MATCH SURROUNDING CONDITIONS.
- CONTRACTOR IS RESPONSIBLE FOR PAINTING ALL EXPOSED STEEL, DECKING, PIPING, CONDUIT, SPRINKLER PIPING AND DUCTS WHICH ARE EXPOSED IN AREAS WITH NO CEILINGS AND SCHEDULED TO RECEIVE PAINT FINISH AS INDICATED ON THE FINISH SCHEDULE.

ARCHITECT:



Drawing Title
ARCHITECTURAL SYMBOLS,
LEGENDS AND GENERAL NOTES

Approved: Project Director
APPROVED - BY - NAME
APPROVED - BY - TITLE/RANK
STATION - MANAGEMENT

Project Title
RENOVATE / BACKFILL
ONCOLOGY 2C.
3D SLEEP LAB AND MSO

Location
VAMC BALTIMORE, MD.
Date
October 1, 2014

Checked
LT

Drawn
MC

100% SUBMISSION


Project Number
512-14-102
Building Number

Drawing Number
A-002
Dwg 08 of 98


Office of
Construction
and Facilities
Management




three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



1 PARTIAL SECOND FLOOR DEMOLITION PLAN - ONCOLOGY / ENDOCRINOLOGY SUITES
AD-101 SCALE: 1/4"=1'-0"



2 SECTION - TEMP. SLIDING DOOR
AD-101 SCALE: 1/4"=1'-0"



KEY PLAN

SECOND FLOOR

100% SUBMISSION Scale: 1/4"=1'-0"


Project Number	512-14-102
Building Number	
Drawing Number	AD-101
Dwg. 09 of 98	

Office of Construction and Facilities Management



Department of Veterans Affairs

CONSULTANTS:		ARCHITECT:		Drawing Title		Project Title		Location		Date		Checked		Drawn	
LEO A DAILY PLANNING ARCHITECTURE ENGINEERING INTERIORS 1201 Connecticut Ave NW Washington DC 20036 USA Tel 202-861-4600 Fax 202-872-8530		MIMAR ARCHITECTS, INC. Architecture, Engineering, Design/Build 7000 Security Blvd, Suite #320 Baltimore, MD 21244 Phone: 410-944-4900 Fax: 410-499-8044		PARTIAL SECOND FLOOR DEMOLITION PLAN - ONCOLOGY / ENDOCRINOLOGY SUITES		RENOVATE / BACKFILL ONCOLOGY 2C, 3D SLEEP LAB AND MSO		VAMC BALTIMORE, MD.		October 1, 2014		LT		MC	
Revisions		Date		Approved Project Director		APPROVED - BY - NAME		APPROVED - BY - TITLE/RANK		STATION - MANAGEMENT					


three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot
one eighth inch = one foot



1 PARTIAL SECOND FLOOR DEMOLITION PLAN - EDUCATION / MSO SUITES
SCALE: 1/4"=1'-0"



KEY PLAN



SECOND FLOOR

100% SUBMISSION

Project Number 512-14-102

Building Number

Drawing Number AD-102

Dwg. 10 of 98

Office of Construction and Facilities Management



ARCHITECT:

MIMAR ARCHITECTS, INC.
Architecture, Engineering, Design/Build
7000 Security Blvd, Suite #320
Baltimore, MD 21244
Phone: 410-944-4900 Fax: 410-499-8044

Drawing Title
PARTIAL SECOND FLOOR
DEMOLITION PLAN -
EDUCATION / MSO SUITES

Approved Project Director
APPROVED - BY - NAME
STATION - MANAGEMENT

Project Title
RENOVATE / BACKFILL
ONCOLOGY 2C,
3D SLEEP LAB AND MSO



Location
VAMC BALTIMORE, MD.

Date
October 1, 2014


Checked
WM

Drawn
MC



1 PARTIAL THIRD FLOOR DEMOLITION PLAN
AD-103 SCALE: 1/4"=1'-0"



		CONSULTANTS:		ARCHITECT:		DRAWING TITLE		PROJECT TITLE		PROJECT NUMBER		Office of Construction and Facilities Management	
		 PLANNING ARCHITECTURE ENGINEERING INTERIORS 1201 Connecticut Ave NW Washington DC 20036 USA Tel 202-681-4600 Fax 202-672-8535		 MIMAR ARCHITECTS, INC. Architecture, Engineering, Design/Build 7000 Security Blvd, Suite #320 Baltimore, MD 21244 Phone: 410-944-4900 Fax: 410-499-8044		PARTIAL THIRD FLOOR ONCOLOGY 2C, DEMOLITION PLAN -		RENOVATE / BACKFILL ONCOLOGY 2C, 3D SLEEP LAB AND MSO		512-14-102		Office of Construction and Facilities Management	
						Approved: Project Director APPROVED - BY - NAME APPROVED - BY - TITLE/RANK STATION - MANAGEMENT		Location VAMC BALTIMORE, MD.		Drawing Number AD-103		Department of Veterans Affairs	
Revisions:		Date						Date October 1, 2014		Checked LT		Draw MC	
										Dwg. 11 of 98		 Department of Veterans Affairs	





1 PARTIAL SIXTH FLOOR DEMOLITION PLAN
AD-104 SCALE: 1/4"=1'-0"



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



1 PARTIAL SECOND FLOOR REFLECTED CEILING DEMOLITION PLAN - ONCOLOGY / ENDOCRINOLOGY SUITES
SCALE: 1/4"=1'-0"

REFLECTED CEILING DEMOLITION LEGEND	
	REMOVE AND DISPOSE OF EXISTING LIGHT FIXTURES (SEE ELECTRICAL DRAWINGS)
	REMOVE AND DISPOSE OF EXISTING SUSPENDED SYSTEM AND CEILING TILE

KEY PLAN

SECOND FLOOR

100% SUBMISSION

Project Number
512-14-102

Building Number



Drawing Number
AD-111

Dwg 13 of 98

Office of Construction and Facilities Management

Department of Veterans Affairs

CONSULTANTS: LEO A DAILY PLANNING ARCHITECTURE ENGINEERING INTERIORS 1201 Connecticut Ave NW Washington DC 20036 USA Tel: 202-681-4600 Fax: 202-672-8530		ARCHITECT: MIMAR MIMAR ARCHITECTS, INC. Architecture, Engineering, Design/Build 7000 Security Blvd, Suite #320 Baltimore, MD 21244 Phone: 410-944-4900 Fax: 410-499-8044		Drawing Title PARTIAL SECOND FLOOR REFLECTED CEILING DEMOLITION PLAN ONCOLOGY / ENDOCRINOLOGY SUITES Approved: Project Director APPROVED - BY - NAME APPROVED - BY - TITLE/RANK STATION - MANAGEMENT	Project Title RENOVATE / BACKFILL ONCOLOGY 2C. 3D SLEEP LAB AND MSO Location VAMC BALTIMORE, MD. Date October 1, 2014 Checked LT Drawn MC
Revisions:	Date				



SECOND FLOOR

100% SUBMISSION

Project Number	512-14-102
----------------	------------

Building Number

Drawing Number
AD-112

Dwg. 14 of 98

Office of
Construction
and Facilities
Management



CONSULTANTS:

LEO A DALY PLANNING
ARCHITECTURE
ENGINEERING
INTERIORS

1201 Connecticut Ave NW Washington DC 20036 USA
Tel 202-861-4600 Fax 202-872-8530

ARCHITECT:



MIMAR ARCHITECTS, INC.
Architecture, Engineering, Design/Build
7000 Security Blvd, Suite #320
Baltimore, MD 21244
Phone: 410-944-4900 Fax: 410-499-8044

Drawing Title	PARTIAL SECOND FLOOR REFLECTED CEILING DEMOLITION PLAN EDUCATION / MSO SUITES
---------------	---

Approved: Project Director
APPROVED - BY - NAME
APPROVED - BY - TITLE/RANK
STATION - MANAGEMENT


Project Title	RENOVATE / BACKFILL ONCOLOGY 2C, 3D SLEEP LAB AND MSO
---------------	---

Location	VAMC BALTIMORE, MD	
Date	October 1, 2014	Check LT

Draw	MC
------	----

Draw	MC
------	----

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



REFLECTED CEILING
DEMOLITION LEGEND

REMOVE AND DISPOSE OF EXISTING LIGHT
FIXTURES (SEE ELECTRICAL DRAWINGS)

REMOVE AND DISPOSE OF EXISTING
SUSPENDED SYSTEM AND CEILING TILE

1 PARTIAL THIRD FLOOR REFLECTED CEILING DEMOLITION PLAN
AD-113 SCALE: 1/4"=1'-0"

CONSULTANTS:

LEO A DALY

PLANNING
ARCHITECTURE
ENGINEERING
INTERIORS

1201 Connecticut Ave NW Washington DC 20036 USA
Tel: 202-691-4600 Fax: 202-672-6530

ARCHITECT:



MIMAR ARCHITECTS, INC.
Architecture, Engineering, Design/Build
7000 Security Blvd, Suite #320
Baltimore, MD 21244
Phone: 410-944-4900 Fax: 410-499-8044

Drawing Title
PARTIAL THIRD FLOOR
REFLECTED CEILING
DEMOLITION PLAN -

Approved Project Director
APPROVED - BY - NAME
APPROVED - BY - TITLE/RANK
STATION - MANAGEMENT

Project Title
RENOVATE / BACKFILL
ONCOLOGY 2C,
3D SLEEP LAB AND MSO

Location
YAMC BALTIMORE, MD.

Date
October 1, 2014

Checked
LT

Drawn
MC

Project Number
512-14-102


Building Number

Drawing Number

AD-113

Dwg. 15 of 98

KEY PLAN



THIRD FLOOR

100% SUBMISSION

Scale: 1/4"=1'-0"

Office of
Construction
and Facilities
Management



